



DO NOT SCALE DIMENSIONS FROM THIS DRAWING. DIMENSIONS ARE GIVEN IN INCHES AND MILLIMETERS. DIMENSIONS IN MILLIMETERS ARE GIVEN IN BRACKETS. DIMENSIONS IN INCHES ARE GIVEN IN PARENTHESES. DIMENSIONS IN MILLIMETERS ARE GIVEN IN BRACKETS. DIMENSIONS IN INCHES ARE GIVEN IN PARENTHESES.

REVISIONS			
LET	DESCRIPTION	DATE	BY
A	INITIAL RELEASE	01-11-13	DZ




PIN	X1
1	LL
2	UL
3	SENSE
4	LR
5	UR



DETAIL A - DOT SPEC
SCALE 5:1

NOTES:

1. SUBSTRATE: 3.18MM ITO GLASS
2. ALL DIMENSIONS IN INCHES [MILLIMETERS]
3. SAFETY SEAM ON ALL EDGES
4. CABLE: 5-PIN FFC TYPE
5. CONNECTOR: AMP TYPE WITH 0.1" [2.54MM] CENTERS, NON LATCHING, PART NUMBER 487378-4
6. TOUCH SCREEN TO BE ACTIVATED WITHIN ACTIVE AREA ONLY. AREA BETWEEN ACTIVE AND VIEWABLE AREAS MUST HAVE A SCREENED ON DIELECTRIC.
7. TOTAL SENSOR THICKNESS: 0.144" [3.645MM].
8. LINEARITY PATTERN: PEPPER.
9. HIGH RESOLUTION ANTI-GLARE MATTE FINISH ARMOUR GLASS SURFACE WITH NOMINAL GLOSS VALUE OF 90 GU.



		A D METRO - 1385 PARSIPPAN ST - OTTAWA, ONTARIO	
AD10.4ULTRA-AG			
DRAWN BY: JZ DATE: 01-11-13	PROJECT/REV: No. --- PROJECT NAME:	SHEET: 1 SHEETS: 1	PART: No. 3A99210-AG04
TOLERANCING UNLESS OTHERWISE SPECIFIED DIM INCHES UNLESS NOTED OTHERWISE DO NOT SCALE DRAWING			